



Product Name: CONFIDOR READY TO USE INSECTICIDE
APVMA Approval No: 60784/109441



Label Name:	CONFIDOR READY TO USE INSECTICIDE
Signal Headings:	READ SAFETY DIRECTIONS
Constituent Statements:	0.125 g/L IMIDACLOPRID
Statement of Claims:	For the systemic control of insect pests on flowers, shrubs, trees, fruit trees and vegetables in the home garden
Net Contents:	500 mL to 5 L
Restrains:	DO NOT spray if it is raining or about to rain. DO NOT spray when soil is dry and plants are suffering from moisture stress.
How to Use:	Refer to Page 3.
Withholding Periods:	DO NOT pick stone fruit for 21 days after spraying DO NOT pick capsicum, potatoes or egg plants for 7 days after spraying DO NOT pick tomatoes for 3 days after spraying DO NOT pick cucurbits for 1 day after spraying
How to Prepare:	How to Prepare (for 0.5 L to 1 L pack sizes) The product is ready to use. Shake well before use. How to Prepare (1.1 L – 5L) 1. Shake bottle well before use. Remove the cap from the container. Take the sprayer out of the plastic bag, straighten hose and screw the cap with hose attached onto container. 2. Adjust the spray pattern from a fan to a narrow jet by turning the end of the trigger. Pump 5 – 10 times to commence spraying. 3. After spraying, unscrew the cap with the hose and re-cap bottle with original cap. Store hose and trigger in the plastic bag hung around the neck of the container.

Precautions:	
--------------	--

Protections:	DO NOT allow chemical containers or spray to get into drains, sewers, streams or ponds. DO NOT spray if bees are feeding on flowering plants. Will kill bees.
--------------	---

Storage and Disposal:	Keep out of the reach of children. Store in the closed, original container in a cool, dry place. DO NOT store in direct sunlight. Dispose of empty container by wrapping in paper, placing in plastic bag and putting in garbage.
-----------------------	---

Safety Directions:	Wash hands after use.
--------------------	-----------------------

First Aid Instructions:	If poisoning occurs, contact a doctor or Poisons Information Centre on 13 11 26.
-------------------------	--

First Aid Warnings:	
---------------------	--

CONFIDOR READY TO USE INSECTICIDE

HOW TO USE

Plant	Pest	How to apply
Roses	Aphids	Spray foliage thoroughly when insects are first seen or if insects re-appear. Spray underneath the leaves to kill pests which may be hiding out of sight. For hibiscus flower beetle, spray buds and flowers as needed. For longtailed mealybug, apply 3 sprays 2 weeks apart. For psyllids, spray at first sign and then a week later. For soft scales, spray in late spring or when small scales are first seen. Apply 3 sprays, 2 weeks apart. For best results spray in the morning when there is little or no wind and little direct heat from the sun. Avoid spraying blooms or flowers in full sun as slight petal marking may occur.
Ornamental trees shrubs and plants	Aphids	
	Azalea lace bug	
	Greenhouse thrips	
	Hibiscus flower beetle	
	Mealybugs	
	Psyllids	
Peach, plum, nectarine, apricot and other stone fruit; capsicum; zucchinis, melons and other cucurbits; egg plant; potatoes; tomatoes	Sap-sucking bugs	
	Soft scales	
	Green peach aphid	

**NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL
UNLESS AUTHORISED**