

Product Name: DEADLINE TERMITE BAIT  
APVMA Approval No: 86664/116311



Label Name:	DEADLINE TERMITE BAIT
-------------	-----------------------

Signal Headings:	
------------------	--

Constituent Statements:	1g/kg Chlorfluazuron
-------------------------	----------------------

Mode of Action:	
-----------------	--

Statement of Claims:	An insect development inhibitor type insecticide for use as part of a termite interception and baiting system, an integrated system for the management of subterranean termite infestations (except <i>Mastotermes darwiniensis</i> )
----------------------	---

Net Contents:	100g 1kg 20x100g 5x100g
---------------	----------------------------------

Restrains:	
------------	--

Directions for Use:	
---------------------	--

Other Limitations:	
--------------------	--

Withholding Periods:	
----------------------	--

Trade Advice:	
---------------	--

General Instructions:	<p><b>GENERAL INSTRUCTIONS</b></p> <p>Deadline Termite Bait is used within-ground and above-ground Stations and can contain up to 400g of bait paste. Deadline Termite Bait in-ground stations are designed to intercept foraging termites with timber interceptors and to concentrate their feeding in the stations. In-ground stations containing timber interceptors are embedded in the soil around the perimeter of the building at intervals of 3-5metres. Station placement is focused in areas where termites are most likely to be found foraging. These stations are inspected on a regular basis at approximately 8 to 12 week intervals until termites are intercepted. (Inspections are more frequent during the warmer summer months and first inspection sooner if the building is under termite attack at the time of initial station installation.) At this point, Deadline Termite Bait is added to the Station. Baited Stations should be inspected every 3-8 weeks with the more frequent inspections occurring during the initial stages of termite feeding. When the colony has been eliminated, the Deadline Termite Bait is removed and fresh timber interceptors are placed in the stations. These stations should continue to be monitored on a regular basis. Where live termites are feeding within a building, aboveground stations containing Deadline Termite Bait are installed on areas of termite feeding. These are removed once the colony has been eliminated, or if no feeding occurs. Bait may also be placed directly into termite workings. Deadline Termite Bait above-ground stations should be inspected at least 3-6weekly with the more frequent inspections occurring during the initial stages of termite feeding. Bait is replenished or moistened slightly with clean water to maintain its attractiveness in feeding stations</p> <p><b>Termite Management</b> To minimize the risk of termite infestation, the sub floor area of buildings should be kept free of any stored product that contains cellulose and any other building materials that attract termites. Appropriate actions should also be taken to eliminate any undue dampness caused by leaking water or sewerage pipes, or inadequate drainage.</p> <p><b>Service Requirement</b> Regular, competent inspections by a licensed Pest Manager are recommended as part of an overall termite management program to determine the prevailing termite pressure and environmental conditions and consequent requirement for further termite management options. Inspections should be performed at least on an annual basis, but more frequent inspections are strongly recommended.</p>
-----------------------	---

Resistance Warning:	
---------------------	--

Precautions:	
--------------	--

Protections:	<p><b>PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT</b></p> <p>Dangerous to aquatic arthropods. DO NOT contaminate streams, rivers or waterways with the chemical or used containers. DO NOT place Deadline Termite Bait in any area where, because of movement of water, it could be washed into a body of water containing aquatic life, such as ponds or stream</p>
--------------	--

Storage and Disposal:	<p><b>STORAGE AND DISPOSAL</b></p> <p>Store in the closed, original container in a dry, cool, well ventilated area out of direct sunlight. Single rinse before disposal. Dispose of rinsings in a disposal pit specifically marked and setup for this purpose, clear of waterways, desirable vegetation and tree roots. Puncture and bury empty containers and dispose of unused bait in a local authority landfill. If no landfill is available, bury the containers or unused bait below 500mm in a disposal pit.</p> <p>Empty containers and product should not be burnt. SPILLS Sweep up material and wrap in paper. Dispose of as above. Prevent entry of spilled matter into drains and waterways.</p>
-----------------------	--

Safety Directions:	
--------------------	--

First Aid Instructions:	FIRST AID If poisoning occurs, contact a Doctor or Poisons Information Centre. PhoneAustralia131126
-------------------------	--

First Aid Warnings:	
---------------------	--

**Directions for Use:**

DeadlineTermite Bait must be used only as part of an integrated termite management program

<b>Situation</b>	<b>Pest</b>	<b>Rate</b>	<b>Critical comments</b>
For use in Integrated Termite Management Programs in and around residential and commercial properties, including food handling establishments and other areas where termite presence can be detected, e.g. fences, utility poles, trees, bridges, wharves and landscape structures in all areas of Australia except Tasmania	Subterranean termites (except <i>Mastotermes darwiniensis</i> )	Mix 100g of bait matrix with 300-400mL of clean water. Up to 100mL additional water may be added if conditions are hot and dry.	Do not use water that has been chlorinated or contaminated in anyway. Stir until paste of uniform consistency is achieved. Add bait as necessary to approved bait stations or directly into termite workings. Replenish as required. When handling the bait matrix wear disposable latex rubber gloves to ensure odours or contaminants that may deter termite feeding are not transferred to the bait matrix. Note: 300mL of bait matrix equals 100g

**NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION**