

Product Name: Seclira Pressurised Fly Bait  
APVMA Approval No: 83016/107323



Label Name:	Seclira Pressurised Fly Bait
-------------	------------------------------

Signal Headings:	READ SAFETY DIRECTIONS BEFORE OPENING OR USING
------------------	--

Constituent Statements:	ACTIVE CONSTITUENT: 10 g/kg DINOTEFURAN PROPELLANT: DIMETHYL ETHER
-------------------------	---

Mode of Action:	GROUP 4A INSECTICIDE
-----------------	----------------------

Statement of Claims:	For the control of nuisance flies in domestic, commercial, industrial and agricultural situations as specified in the Directions for Use Table.
----------------------	---

Net Contents:	NET CONTENTS: 400g, 454g, 500g, 567g, 600g
---------------	--

Restrains:	RESTRAINTS DO NOT apply bait in locations accessible to domestic animals or livestock. DO NOT apply in a manner which may cause contamination of animal feed. DO NOT apply to organic material including manure or refuse heaps. DO NOT apply spray treatment outdoors if rain is expected within 48 hours.
------------	---

Directions for Use:	
---------------------	--

Other Limitations:	
--------------------	--

Withholding Periods:	
----------------------	--

Trade Advice:	
---------------	--

General Instructions:	<p><b>GENERAL INSTRUCTIONS</b></p> <p>SECLIRA® PRESSURISED FLY BAIT can be applied in many locations. SECLIRA PRESSURISED FLY BAIT should be applied to surfaces such as walls, fences, under eaves and garbage bins. Best results are achieved when applied to non-porous surfaces. This product is not designed to be applied directly to soil, compost, manure heaps or edible refuse. Avoid cool or windy locations because flies prefer warm sites for resting. Time applications to begin at the start of the season before fly populations have reached their peak.</p> <p>Fly control should be considered part of an integrated strategy which incorporates good sanitation, appropriate management of breeding sites (e.g. manure and other decaying organic matter) and exclusion measures for preventing access of flies into internal areas.</p> <p>Notes on Application:</p> <p>Avoid applying this product to dusty/dirty surfaces. DO NOT spray the moving parts of any machinery, electric motors or switchgear with the water-based product. To avoid unwanted staining of interior and exterior surfaces, a small hidden area should be sprayed and checked for any discolouration before widespread use.</p> <p>Re-baiting:</p> <p>Re-apply bait when flies are no longer visibly affected in areas where the product has been applied (usually after about 4 to 6 weeks). For season-long control, monthly applications may be required, depending on the situation and duration of the fly season.</p>
-----------------------	--

Resistance Warning:	<p><b>INSECTICIDE RESISTANCE WARNING</b></p> <p><b>GROUP 4A INSECTICIDE</b></p> <p>For insecticide resistance management SECLIRA PRESSURISED FLY BAIT is a Group 4A insecticide. Some naturally occurring insect biotypes resistant to SECLIRA PRESSURISED FLY BAIT and other Group 4A insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if SECLIRA PRESSURISED FLY BAIT or other Group 4A insecticides are used repeatedly. The effectiveness of SECLIRA PRESSURISED FLY BAIT on resistant individuals could be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use, BASF Australia Ltd accepts no liability for any losses that may result from failure of SECLIRA PRESSURISED FLY BAIT to control resistant insects. For further information on managing insecticide resistance contact your local supplier or BASF Australia Ltd representative.</p>
---------------------	---

Precautions:	<p><b>PRECAUTIONS</b></p> <p>Keep out of reach of children.</p> <p>DO NOT allow contact with raw or processed food, utensils, food preparation surfaces or packaging.</p> <p>DO NOT use as a space (aerosol) spray.</p> <p>DO NOT apply to surfaces accessible to children.</p> <p>DO NOT apply past the point of run-off.</p> <p>DO NOT spray directly on animals, feed or drinking supplies, or on milking equipment.</p> <p><b>BEWARE:</b> Deliberately sniffing or inhaling concentrated spray can be harmful or fatal.</p>
--------------	---

Protections:	<p><b>PROTECTION OF WILDLIFE, FISH, CRUSTACEA AND THE ENVIRONMENT</b></p> <p>Very toxic to aquatic life. DO NOT contaminate waterways with the chemical or used containers. Clean up spillage promptly.</p>
--------------	---

Storage and Disposal:	<b>STORAGE AND DISPOSAL</b> Keep in a cool place out of the sun and out of the reach of children. DO NOT puncture or incinerate this can, even when empty. Recycle empty cans if a facility is available or place used can in household rubbish.
-----------------------	---

Safety Directions:	<b>SAFETY DIRECTIONS</b> Wash hands after use.
--------------------	---

First Aid Instructions:	<b>FIRST AID</b> If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 13 11 26. New Zealand 0800 764 766.
-------------------------	--

First Aid Warnings:	
---------------------	--

SITUATION	PEST	CRITICAL COMMENTS
<p>SECLIRA PRESSURISED FLY BAIT is not a conventional residual spray and therefore does not work by flies simply contacting a sprayed surface. The attractants within this bait mean that flies will be attracted to and subsequently attempt to feed on treated surfaces; they will then pick up a lethal dose. Because of this bait function, only portions of vertical surfaces need to be treated.</p>		
<p><b>Building Exteriors &amp; Surrounds:</b> Abattoirs, poultry farms, animal housing, domestic dwellings, garbage containers, food processing plants and other industrial and commercial areas.</p> <p><b>Interior:</b> Commercial and industrial facilities and animal houses.</p>	<p>Nuisance flies including: Adult houseflies (<i>Musca domestica</i>) and Lesser houseflies (<i>Fannia canicularis</i>) and Sheep blowflies (<i>Lucilia cuprina</i>)</p>	<p>Spray surfaces where flies rest. Best results are achieved when applied to non-porous surfaces.</p> <p><b>Area Treatment:</b> Point can toward target area from a distance no further than 30 cm and press down actuator. Make a light application at a rate of 60 cm/sec and avoid run off or dripping from targeted area. Area treatments are effective where flies congregate, roost and feed, which may include garbage receptacles and lids, refuse containers, under tables and benches, recycling bins, dumpsters, behind vending machines, plant/flower pots, under bars, eave areas, walls and/or areas where flies like to congregate or infest. DO NOT apply bait in areas that are frequently cleaned. This product will not adhere to surfaces that are dusty or greasy. Reapply when reinfestation occurs.</p> <p><b>Band Treatment:</b> Spray from a distance of no further away from targeted area than 15 cm to create a band application at a rate of 60 cm/sec. Band applications may be made to areas such as beam edges, receptacle edges, table or bench edges, around windows and window frames, under narrow eaves and other areas where there is a narrow area where flies land, roost and/or are likely to infest. Reapply when reinfestation occurs.</p> <p><b>Note:</b> Around feedlot manure heaps DO NOT apply bait on manure heaps or dispose of treated targets with manure.</p> <p><b>See also Note on Application below.</b></p>

**NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.**